

Trade name : Revision date : Print date : QL NANO LITHIUM COLOR 29.05.2017 29.05.2017

Version (Revision) :

2.0.0 (1.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier QL NANO LITHIUM COLOR 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Preparation for building and construction: Hardener, sealant and color consolidation for concrete surfaces. Uses advised against Uses different from those above mentioned. **1.3** Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) AZICHEM Srl Street : Via G. Gentile 16/A Postal code/city: 46044 Goito (MN) **Telephone :** +390376604185/604365 **Telefax :** +39 0376 604398 Information contact : info@azichem.com 1.4 Emergency telephone number Centro Antiveleni di Milano +39 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (24h) Centro Antiveleni di Pavia +39 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo +39 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze +39 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma +39 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma +39 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli +39 081 7472870 (CAV Ospedale Cardarelli - Napoli) **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] None 2.2 Label elements None 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.2 Mixtures Description Litium silicated alkaline solition. **Hazardous ingredients** None **SECTION 4: First aid measures** 4.1 Description of first aid measures



Trade name :	QL NANO LITHIUM COLOR
Revision date :	29.05.2017
Print date :	29.05.2017

Version (Revision) :

2.0.0 (1.0.0)

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove victim out of the danger area. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

#### In case of skin contact

Wash immediately with: Water Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician. In case of skin reactions, consult a physician.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

#### **4.2 Most important symptoms and effects, both acute and delayed** No information available.

4.3 Indication of any immediate medical attention and special treatment needed None

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder alcohol resistant foam Carbon dioxide (CO2) Water mist

- 5.2 Special hazards arising from the substance or mixture Hazardous combustion products Carbon dioxide (CO2) Carbon monoxide
- 5.3 Advice for firefighters Remove persons to safety.

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use appropriate respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Clear spills immediately. Wear a self-contained breathing apparatus and chemical protective clothing.

#### For non-emergency personnel

Remove persons to safety.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up

The contaminated area should be cleaned up immediately with: Water Retain contaminated washing water and dispose it.

#### 6.4 Reference to other sections

Reference to other sections Safe handling: see section 7 Personal protection equipment: see section 8

Page : 2 / 8



Trade name : Revision date : Print date : QL NANO LITHIUM COLOR 29.05.2017 29.05.2017

Version (Revision) :

2.0.0 (1.0.0)

## **SECTION 7: Handling and storage**



## 7.1 Precautions for safe handling

#### **Protective measures**

Specific requirements or handling rules

Do not breathe dust. Do not breathe gas/fumes/vapour/spray. See section 8.

#### Advices on general occupational hygiene

Normal precautions taken when handling chemicals should be observed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Only use containers specifically approved for the substance/product.

#### **Requirements for storage rooms and vessels**

Keep in a cool, well-ventilated place. Protect against UV-radiation/sunlight Humidity.

#### Hints on joint storage

Storage class: 13 Storage class (TRGS 510): 13 Keep away from

Store at least 3 metres apart from: Chemicals/products that react together readily

#### Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

#### 7.3 Specific end use(s) None

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

None

#### 8.2 Exposure controls

#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Personal protection equipment



When using do not eat, drink, smoke, sniff.

## Eye/face protection

Suitable eye protection Eye glasses with side protection DIN EN 166

# Skin protection

#### . Hand protection

Tested protective gloves must be worn DIN EN 374



Trade name : Revision date : Print date : QL NANO LITHIUM COLOR 29.05.2017 29.05.2017

Version (Revision) :

2.0.0 (1.0.0)

**By short-term hand contact** : Butyl caoutchouc (butyl rubber) Breakthrough time : > 480 min. > 0,7 mm **By long-term hand contact** : NBR (Nitrile rubber) > 30 min. > 0,4 mm

#### **Respiratory protection**

Usually no personal respirative protection necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties Safety relevant basis data

Salety relevant basis data				
Appearance :			liquid	
Colour :			yellow	
Odour			none	
Vapour density	( (air = 1) )		Data not available	
Initial boiling point and boiling range :	(1013 hPa)	>	100	°C
Decomposition temperature :			No data available	
Self flammability			No data available	
Flammability (solid, gas)			Data not available	
Lower explosion limit :			No data available	
Upper explosion limit :			No data available	
Explosive properties			Data not available	
Vapour pressure	( 20 °C )		No data available	
Density :	( 20 °C )	approx.	1,1	g/cm <sup>3</sup>
Water solubility :	(20 °C)		not relevant	
рН :			No data available	
Log Pow	( 20 °C )		No data available	
Viscosity :	( 20 °C )		No data available	
Odour threshold			Data not available	
Evaporation rate			Not applicable	
Oxidizing properties			Not oxidising	

#### 9.2 Other information

None

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product is stable.

## 10.2 Chemical stability

Stable under recommended storage and handling conditions. See section 7. No additional measures necessary.

## **10.3 Possibility of hazardous reactions**

No hazardous reactions when stored and handled properly.

## 10.4 Conditions to avoid

Evitare temperature estreme.

# 10.5 Incompatible materials

None

## **10.6 Hazardous decomposition products**

If burned can release: Carbon dioxide. Carbon monoxide

#### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects Acute effects



Trade name : Revision date : Print date : QL NANO LITHIUM COLOR 29.05.2017 29.05.2017

Version (Revision) :

2.0.0 (1.0.0)

Acute oral toxicity STOT-single exposure None Practical experience/human evidence None Irritant and corrosive effects Primary irritation to the skin Not an irritant. Irritation to eyes Not an irritant. Irritation to respiratory tract Not an irritant. Sensitisation In case of skin contact not sensitising. In case of inhalation not sensitising. Repeated dose toxicity (subacute, subchronic, chronic) Chronic inhalation toxicity None CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) The ingredients in this mixture do not meet the criteria for classification as CMR according to CLP. **SECTION 12: Ecological information** Do not allow uncontrolled discharge of product into the environment. 12.1 Toxicity No data available 12.2 Persistence and degradability Inorganic product which is not eliminable from water through biological cleaning processes. 12.3 Bioaccumulative potential No indication of bioaccumulation potential. 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment This product is none, or does not contain a substance called a PBT or vPvB 12.6 Other adverse effects No information available. 12.7 Additional ecotoxicological information None

#### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods Product/Packaging disposal

Dispose according to legislation.

**SECTION 14: Transport information** 



Trade name :	
<b>Revision date :</b>	
Print date :	

QL NANO LITHIUM COLOR 29.05.2017 29.05.2017

Version (Revision) :

2.0.0 (1.0.0)

#### 14.1 UN number

No dangerous good in sense of these transport regulations.

## 14.2 UN proper shipping name No dangerous good in sense of these transport regulations.

## 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

#### 14.4 Packing group

No dangerous good in sense of these transport regulations.

## 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

## 14.6 Special precautions for user

- None
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

#### **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

Regulation (EC) 1907/2006/CE (REACh). Regulation (EC) No 1272/2008 (CLP). Regulation (EU) 2015/830 requirements for the compilation of safety data sheets. Commission Regulation (EC) No 790/2009/CE (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 286/2011 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 618/2012 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EC) No 1272/2008). Commission Regulation (EU) No 487/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 758/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 944/2013 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress of its adaptation to technical and scientific progress of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation (EU) No 605/2014 (amending, for the purposes of its adaptation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulation to technical and scientific progress (ATP), Regulation (EC) No 1272/2008). Commission Regulat

#### Other regulations (EU)

Regulation (CE) 1907/2006: Substance of very high concern included in the SVHC Candidate List None

#### National regulations

Italy: Legislative Decree 81/2008 (Consolidated Law on protection of health and safety at work), as amended and Directive 2009/161/UE - chemical risk assessment in accordance with Title IX

#### Water hazard class (WGK)

Class : nwg (Non-hazardous to water) Classification according to VwVwS

#### 15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

#### 16.1 Indication of changes

None

ADR:

#### **16.2** Abbreviations and acronyms

LEGENDA:

Accord européen relative au transport international des marchandises dangereuses par route (accordo



Trade name :	QL NANO LITHIUM COLOR		
Revision date :	29.05.2017	Version (Revision) :	2.0.0 (1.0.0)
Print date :	29.05.2017		

None	
16.7 Additiona	linformation
None	
16.6 Training a	advice
None	
16.5 Relevant	H- and EUH-phrases (Number and full text)
calculated.	
(EC) No 1	272/2008 [CLP]
	tion for mixtures and used evaluation method according to regulation
None	
16.3 Key litera	ture references and sources for data
ThOD:	Theoretical Oxygen Demand
LCLo:	Lethal Concentration Low (La minima concentrazione letale)
	Federal Institute for Occupational Safety and Health, Germany
TRGS :	Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The
BCF:	BioConcentration Factor
COD:	Chemical Oxygen Demand
BOD:	Biochemical Oxygen Demand
PNOS:	Particulates not Otherwise Specified
PNEC:	Predicted No Effect Concentration
VwVwS.:	Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)
N.A.:	Non applicabile
N.D.:	Non disponibile.
vPvB:	Very persistent very bioaccumulative (sostanze molto persistenti e molto bioaccumulabili)
UE:	Unione Europea
TWA:	Time Weighted Average (media ponderata nel tempo)
TLV:	Threshold limit value (soglia di valore limite)
STEL:	Short term exposure limit (limite di esposizione a breve termine)
	(Regolamento concernente il trasporto Internazionale ferroviario delle merci Pericolose)
RID:	Règlement concernent le transport International ferroviaire des marchandises Dangereuses
PBT:	Persistent, bioaccumulative and toxic (sostanze persistenti bioaccumulabili e tossiche)
Codice IMDG:	International Maritime Dangerous Goods code (Codice sul Regolamento del Trasporto Marittimo)
ICAO:	International Civil Aviation Organization (Organizzazione Internazionale dell'Aviazione Civile)
IATA:	International Air Transport Association (Associazione Internazionale del Trasporto Aereo)
LD(0/50/100):	Lethal Dose 0/50/100 (Dose Letale per 0/50/100% degli Individui)
CSR:	Rapporto sulla Sicurezza Chimica (Chemical Safety Report)
CLP:	Classification, Labelling and Packaging (Classificazione, Etichettatura e Imballaggio)
DMEL:	Derived Minimum Effect Level (Dose derivata di minimo effetto)
DNEL:	Derived No Effect Level (Dose derivata di non effetto)
LOEC:	Lowest Observed Effect Concentration (Concentrazione massima alla quale è possibile evidenziare un effetto)
NOEC:	No Observed Effect Concentration (Concentrazione massima senza effetti)
NOEL:	No Observed Effect Level (Dose massima senza effetti)
IC50:	Inhibitor Concentration 50 (Concentrazione Inibente per il 50% degli Individui)
LC(0/50/100):	Lethal Concentration 0/50/100 (Concentrazione Letale per 0/50100% degli Individui)
EC(0/50/100):	Effective Concentration 0/50/100 (Concentrazione Effettiva Massima per 0/50100% degli Individui)
EC(0/E0/100)	chimiche in Commercio) Effective Concentration 0/E0/100 (Concentrations Effective Massima per 0/E01000/, deali Individui)
EINECS:	European Inventory of Existing Commercial Chemical Substances (Registro Europeo delle Sostanze
ASTM:	ASTM International, originariamente nota come American Society for Testing and Materials (ASTM)

The above information describes exclusively the safety requirements of the product and is based on our present-day



Trade name : Revision date : Print date : QL NANO LITHIUM COLOR 29.05.2017 29.05.2017

Version (Revision) :

2.0.0 (1.0.0)

knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.